

- 64A
 - PANEL-SWITCH 000215380 / 303681-01-CHT
 - SWITCH-ROCKER 108357-06-000 (2)
 - ACTUATOR-SWITCH 108356-01-CHT (2)
 - LABEL-STABILIZER 000007799 / 310651-01-CHT

- 4
 - PORT-SOLAR_SINGLE 000163158 / 328863-01-000
 - SCREW G39-10-12U (4)
- PANEL-SERVICE 132862-16-CHT
- SWITCH-PUMP 108357-21-000
 - ACTUATOR 108356-23-CHT
- PLATE-COAX 149557-03-CHT
 - SCREW G39-08-08U (2)

- CONTROL-SLIDEOUT,IN-WALL 189400-01-000
 - SCREW G39-08-12U (4)
 - DETAIL AC

- 4 PIN HSG FROM WIRE ASM-CHASSIS CIRCUITS: ABY,ABZ,DR,DU
 - 2 PIN HSG FROM WIRE ASM-CHASSIS CIRCUIT; AEZ
 - 2 PIN HSG FROM WIRE ASM-CHASSIS CIRCUITS; LLL,LLK
 - 6 PIN HSG WITH GRN TAPE
 - 6 PIN HSG WITH YEL TAPE

- CLAMP 10495-02-000 (5)
 - SCREW G11-06-12U (5)
- COVER-ELECTRICAL 194965-01-CHT
 - LABEL-SLIDEOUT 098379-09-000

- CLAMP 10495-02-000 (8)
 - SCREW G11-06-12U (8)

- WIRE ASM-AUX HOLDING 151316-03-000
 - WIRE ASM-MAIN HOLDING 151317-03-000

CABLE-DATA, GSW INVERTER,RJ1 TO INVERTER


23R OR 23T TO TANK HEATER PAD

- 4 SPLICE YELLOW TO RED AND WHITE TO BLACK.
- 3 WIRE ROUTED THROUGH FLOOR IN THIS AREA.

2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIME WITH PRIMER 94.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:



- PANEL-RCP 151376-02-CHT
 - ADAPTER 082134-01-000
 - NUT 82136-01-000
 - LABEL 157486-01-CHT
 - SCREW G67-10-12U (4)

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 64A JACKS-STABILIZING, ELECTRIC
- 23R DRAINAGE SYSTEM/HEAT-PREWIRE
- 23T DRAINAGE SYSTEM-HEATED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265

WINNEBAGO
COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.

DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS	
DIFR:		
UNSPECIFIED TOLERANCES:		MATERIAL:
WHOLE DIM (X)	: 3	
ONE-PLACE (X.X)	: 1.5	
TWO-PLACE (X.XX)	: 0.50	
ANGLE	: 1°	
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	WEIGHT: (LBS)	FIRST USED:
		18 524J
DESCRIPTION:		
WIRING INSTL-BODY, 12V		
SHEET:	ITEM/PART NO.:	REV:
1 OF 7	000115332 / 32195301000	

WIRE ASM-OVHD
000035595 / 318034-01-000

SWITCH
DETAIL DD

SPEAKER-ROUND
160868-01-CHT (2)
SPEAKER-GRILLE,ROUND
160868-02-CHT (2)
SCREW
G11-08-08U (8)

USB-CHARGER DUAL,DC
188312-01-000
DETAIL BC

THERMOSTAT
000016556 / 313194-01-CHT ← 25Q
000016270 / 313193-01-CHT ← 29Z
SCREW
G11-06-08U (2)

LIGHT-TAPE,LED
187693-41-CHT


VIEW BA

TO LEFT BDRM
HDMI WALL PLATE
OR HDMI 1
ON BDRM TV

HDMI 1
ON MAIN TV


6 CABLE-HDMI
WITH SATELLITE
RECEIVER LABEL

7 CABLE-HDMI
(REF)




9

7 CABLE-HDMI
(REF)



DETAIL BB



DETAIL BC

1BU CONTROL-WATER HEATER
000027745 / 316105-01-CHT
SCREW
G67-08-12U (2)

SWITCH
DETAIL DA

WIRE ASM-COACH
TO OVHD LIGHTS

SWITCH
DETAIL DB

SWITCH
DETAIL DC

4 TO COMPARTMENT LAMP

4 8 PIN HSG
TO WATER PUMP
SWITCH

TO WIRE ASM-
SIDEWALL

BA

WIRE ASM-
CHASSIS

SPEAKER-SUB
124884-01-000
GRILLE
151844-01-CHT
SCREW
G11-08-12U

WIRE ASM-COACH
WIRE ASM-SOLAR PANEL
TO RIGHT SIDE

LPGD

WIRE ASM-HEATER,RELAY
153891-01-000
WIRE ASM-HEATER,TANKS
134551-15-000
RELAY
63912-02-000 ← 8
SCREW
G11-08-12U

23R OR 23T

9 CONNECT RED WIRE TO YELLOW WIRE AND CONNECT BLACK
WIRE TO WHITE WIRE.

8 SECURE ABOVE FLOOR WITH SCREW CALLED OUT.

7 SEE WIRING INSTL-TV/DVD FOR ADDITIONAL INFORMATION.

6 WIRE IS PART OF WIRE ASM-COACH.

5 CONNECTED TO THE REAR SIDE OF THE PLATE.

4 WIRE ROUTED THROUGH FLOOR IN THIS AREA.

3 CENTER LIGHT STRIP IN OPENING.

2 CLEAN SURFACE WITH CLEAN TOWEL.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER
CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE
TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX
AS APPROPRIATE FOR INSTALLATION.

NOTES:


FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

X-X

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- 1BU WTR HTR TKLS W/RECIRCUL PUMP
- 25Q A/C
- 29Z A/C HEAT PUMP
- 23R DRAINAGE SYSTEM/HEAT-PREWIRE
- 23T DRAINAGE SYSTEM-HEATED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:	1B1 265	
WIRING INSTL-BODY, 12V		
SHEET:	ITEM/PART NO:	REV
2 OF 7	000115332 / 32195301000	



8 7 6 5 4 3 2 1

D

C


B

A

8 7 6 5 4 3 2 1

- 1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.
- 2. PANEL SUPPLIED WITH GENERATOR.
- 3. WITH FEATURE 33FCABLE SUPPLIED WITH DIESEL GENERATOR.
- 4. CONNECT CABLE-HDMI WITH TV 2 LABEL TO BACK OF PLATE WITH 42B
- 5. MOUNTED ON THE EXTERIOR OF THE SIDEWALL.
- 6. CENTER LIGHT STRIP IN OPENING.
- 7. WIRES ARE PART OF WIRE ASM-SIDEWALL.
- 8. MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME. MOUNT WITH MAGNET TOWARD SWITCH.
- 9. MOUNT SWITCH AND SPACER TO BLOCK ON JAMB. ADJUST HEIGHT TO MATCH MAGNET.
- 10. CLEAN SURFACE WITH CLEAN TOWEL.
- 11. SEE WIRING INSTL-TV/DVD FOR ADDITIONAL INFORMATION
- 12. CLAMP WIRES AWAY FROM FURNACE.
- 13. CONNECT CABLE-HDMI WITH SATELLITE RECIEVER LABEL TO BACK OF PLATE WITH 42B
- 14. REMOVE SCREW FROM MAGNET SWITCH TO INSTALL LOCK WASHER AND TERMINALS.

NOTES:



FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


DESCRIPTION: WIRING INSTL-BODY, 12V

SHEET: 3 OF 7

ITEM/PART NO.: 000115332 / 32195301000


REV: 10-Oct-2018

1B1 265




SWITCH-ROCKER
135740-04-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)
WIRE ASM-RESISTOR
140195-01-000

DETAIL DA




SWITCH-WATER PUMP
108357-21-000
ACTUATOR
108356-23-CHT
PLATE
144363-02-CHT
SCREW
G11-06-10U (2)

DETAIL DB




SWITCH-ROCKER
135740-04-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DC




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DD




SWITCH-ROCKER
135740-01-CHT
SWITCH-BLANK
138253-01-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-06-16U (4)

DETAIL DF 41M




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DG




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DH




SWITCH-ROCKER
135740-01-CHT (2)
135740-04-CHT
SWITCH-BASE
135741-03-CHT
SWITCH-BEZEL
135742-03-CHT
SCREW
G11-08-08U (4)

DETAIL DJ




SWITCH-ROCKER
135740-01-CHT
135740-03-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-06-16U (4)

DETAIL DF 316




SWITCH-ROCKER
135740-04-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)
WIRE ASM-RESISTOR
140195-01-000

DETAIL DK




SWITCH-ROCKER
135740-04-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DL



SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-59-CHT
SCREW
G11-08-08U (2)

DETAIL DM



SWITCH-BLANK
138253-01-CHT
SWITCH-ROCKER
135740-06-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)
LABEL-SWITCH
134563-01-CHT

1JD
23T OR 23R

HOLDING TANK HEATER
TURN OFF When Not In Use
SEE OPERATORS MANUAL

DETAIL DP





PLATE-SWITCH
158431-19-CHT
SCREW
G11-06-10U (4)

SWITCH-BATT DISC
108357-18-000
ACTUATOR-BATT DISC
108356-19-CHT
WIRE ASM-THERM
186796-01-000

SWITCH-STEP
108357-19-000


DETAIL DR




DETAIL DS

PLATE-SWITCH
158431-19-CHT
SCREW
G11-06-10U (4)


SWITCH-ROCKER
108357-14-000
ACTUATOR-SWITCH
108356-28-CHT



DETAIL DE



DETAIL DN (FRONT)



DETAIL DN (REAR)

- NOTES:
- 4 WIRE IS MARKED WITH GOLD TAPE.
 - 3 CIRCUIT FROM WIRE ASM-COACH.
 - 2 WIRE IS MARKED WITH YELLOW TAPE.
 - 1 CIRCUIT FROM WIRE ASM-CHASSIS.

- 41M VENT-POWER VENTILATOR
- 316 SKYLIGHT/ROOF VENT, POWER
- 1JD DRAINAGE SYSTEM-HEATED-W/O
- 23R DRAINAGE SYSTEM/HEAT-PREWIRED
- 23T DRAINAGE SYSTEM-HEATED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION: **WIRING INSTL-BODY, 12V**





SHEET: 4 OF 7 ITEM/PART NO.: 000115332 / 32195301000 REV: 10-Oct-2018

D

C

B

A




- 31P FRONT CAP W/O BED
- 31T FRONT CAP W/BED
- 316 SKYLIGHT/ROOF VENT, POWER
- 41M VENT-POWER VENTILATOR
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA






FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

DESCRIPTION: WIRING INSTL-BODY,12V		
SHEET: 5 OF 7	ITEM/PART NO: 000115332 / 32195301000	REV



PANEL-SOLAR 100 WATT, FLEXIBLE
 000131101 / 325665-01-000 (2)
 WASHER
 077071-01-000 (8)
 SCREW
 000G39-10-16U (8)



- 6 COIL AND SECURE SOLAR PANEL WIRES ON EACH SIDE OF SOLAR PORT WITH CLAMPS CALLED OUT.
- 5 CONNECT RED WIRE TO YELLOW WIRE AND CONNECT BLACK WIRE TO WHITE WIRE.
- 4 SEE WIRING INSTL-TV/DVD FOR ADDITIONAL INFORMATION.
- 3 WRAP BRACKET LEGS AROUND ANTENNA BASE.
- 2 SEE ANTENNA INSTALLATION MANUAL FOR CORRECT INSTALLATION PROCEDURE.

NOTES:
 1. SEE ROOF ASM FOR ADDITIONAL INFORMATION.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS
 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265
WIRING INSTL-BODY, 12V		
SHEET:	ITEM/PART NO.:	REV
6 OF 7	000115332 / 32195301000	

8 7 6 5 4 3 2 1

6 PIN HSG TO SLIDEOUT MOTOR WITH GREEN TAPE

6 PIN HSG TO SLIDEOUT MOTOR WITH YELLOW TAPE

WIRE ROUTED BEHIND TRIM PIECE IN THIS AREA

WIRE ROUTED BEHIND TRIM PIECE IN THIS AREA

WIRES CONNECT TO SLIDEOUT CONTROL DETAIL AC

WIRE ASM-SLIDEOUT MOTORS 000029924 / 316573-01-000

VIEW GA

1 WIRE ROUTED THROUGH FLOOR IN THIS AREA.

NOTES:

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION: WIRING INSTL-BODY, 12V

SHEET: 7 OF 7 ITEM/PART NO: 000115332 / 32195301000 REV

8 7 6 5 4 3 2 1 10-Oct-2018